Seating » Seats



Collection: Sorrento

Seating » Seats



Seating » Seats



Modular seat with contrasting finishes and folded forms. Battens in 2 hardwood or 4 Duraslat™ colors and steel frame in 17 powder-coat finishes.

Description

Inspired by the Italian love of modern design, the Sorrento seat is as much at home in the public spaces of Chicago as it is on boardwalks of the Mediterranean. The contrasting finishes, folded forms, and modular seat design combine to create public spaces that draw the eye and challenge the status quo. A striking asymmetrical cut-out design on the backrest is visible from all directions adding to the unique visual aesthetics of the seat. Finishes include battens in 2 Australian Eucalyptus hardwood or 4 Duraslat™ colors and steel frame in 17 powder-coat finishes.

Made In

USA

Dimensions

Hardwood

71"W x 25"D x 29"H

(1800mmW x 645mmD x 740mmH)

Seat height: 17" (440mm)

Duraslat™

71"W x 25"D x 29"H

(1800mmW x 635mmD x 735mmH)

Seat height: 17" (435mm)

Seating » Seats

Weight Hardwood

207lbs (94kg)

Duraslat™ 191lbs (87kg)

Batten Type Hardwood

Australian Eucalyptus

Duraslat™

Plateau, Summit, Canyon, Outback

Frame Powder-coated steel with backrest that features the Windows

perforation pattern on both sides.

Powder Coat Core

Coreten (textured), Charcoal (satin), Silver Pearl (satin metallic), Black

(satin), White (satin), Bronze (satin metallic)

Signature

Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red

(matt), Claypot (satin), Paperbark (satin)

Bold

Sky Blue (satin), Yellow Green (satin), Pure Orange (satin), Carmine Red

(satin), Zinc Yellow (satin)

Sustainability Certified Hardwood

Australian Eucalyptus hardwood is sourced from sustainable forests

certified by the Program for the Endorsement of Forest Certification

(PEFC), the world's largest forestry certification system.

Material Alternatives

We offer sustainable alternatives to hardwood, such as Duraslat™; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that

is based on a renewable mineral.

Recycled Materials

We locally source our steel. It means we know it uses recycled content

and is 100% recyclable.

Low Pollutants

Our powder-coating process doesn't emit VOCs and has Environmental

Product Declarations (EPDs) that enable projects to qualify for LEED

credits.

Warranty 5-year warranty. View the <u>warranty</u> for more details.

Seating » Seats

Lead Time	6-8 weeks
Assembly & Delivery	Shipped fully assembled on pallets.
Fixing Detail	Surface fixed by others. Anchors not included.
How to Specify	Select your batten finish Select your backrest finish Select your frame finish
Care Instructions	Hardwood Cleaning Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.
	Oiling Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.
	To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.
	<u>Duraslat™</u> Cleaning Clean with mild soap and water and use a soft brush to remove any dirt build-up.
	Powder-Coat Cleaning Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.
	Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.
	Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.
	Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.
Additional Comments	Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

