

# B+G MANLY SINGLE POST LITTER BIN

Litter Bins » Single Bins



Collection: **Manly**

# B+G MANLY SINGLE POST LITTER BIN


Litter Bins » Single Bins



Hardwood Australian  
Eucalyptus Light Oil



Hardwood Australian  
Eucalyptus Dark Oil



Core Powder-Coat  
Coreten Textured



Core Powder-Coat  
Charcoal Satin



Core Powder-Coat  
Silver Pearl Satin  
Metallic



Core Powder-Coat  
Black Satin




Core Powder-Coat  
White Satin




Core Powder-Coat  
Bronze Satin Metallic



Signature Powder-  
Coat Deep Ocean  
Satin




Signature Powder-  
Coat Wedgewood  
Satin



Signature Powder-  
Coat Mangrove Satin




Signature Powder-  
Coat Territory Red  
Matt



Signature Powder-  
Coat Claypot Satin




Signature Powder-  
Coat Paperbark Satin



Bold Powder-Coat  
Sky Blue Satin



Bold Powder-Coat  
Yellow Green Satin



Bold Powder-Coat  
Pure Orange Satin



Bold Powder-Coat  
Carmine Red Satin



Bold Powder-Coat  
Zinc Yellow Satin



# B+G MANLY SINGLE POST LITTER BIN

Litter Bins » Single Bins



Modern, round single post litter bin with hood for outdoors. 360° panel design in 2 hardwood colors or cut-out designs in 17 powder-coat finishes.

## Description

The contemporary, cylindrical design of the Manly single post litter bin creates a minimalist aesthetic that complements the curves of modern public spaces, indoors or out. Finishes include Australian Eucalyptus hardwood battens in 2 finishes, powder-coated steel using cut-out designs or plain in 17 colors. Manly is a versatile, eye-catching addition to public spaces that need to stand the test of time.

## Made In

USA

## Dimensions

Hardwood + Plain Panel  
ø26" x 37"H  
(ø650mm x 990mmH)

Perforated Panel  
ø26" x 37"H  
(ø650mm x 1000mmH)

## Capacity

20 gal (80L)

# B+G MANLY SINGLE POST LITTER BIN

Litter Bins » Single Bins

---

Weight	Hardwood 161lbs (73kg)  Plain Panel 137lbs (62kg)  Perforated Panel 132lbs (60kg)
Batten Type	Hardwood: Australian Eucalyptus
Frame	Powder-coated steel
Powder Coat	Core Coreten (textured), Charcoal (satin), Silver Pearl (satin metallic), Black (satin), White (satin), Bronze (satin metallic)  Signature Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red (matt), Claypot (satin), Paperbark (satin)  Bold Sky Blue (satin), Yellow Green (satin), Pure Orange (satin), Carmine Red (satin), Zinc Yellow (satin)
Signage	Vinyl decal signage for the flat lid on request.
Sustainability	Certified Hardwood Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.  Recycled Materials We locally source our steel. It means we know it uses recycled content and is 100% recyclable.  Low Pollutants Our powder-coating process doesn't emit Volatile Organic Compounds (VOCs) and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.
Warranty	5-year warranty. View the <a href="#">warranty</a> for more details.
Lead Time	6-8 weeks
Assembly & Delivery	Shipped fully assembled on pallets.

---

# B+G MANLY SINGLE POST LITTER BIN

Litter Bins » Single Bins

---

**Fixing Detail** Post fixed by others - surface fixed.  
Anchors not included.

---

**How to Specify** Select your size - single  
Select your capacity - 20 gal (80L)  
Select your lid, hood and post color  
Select your panel design and finish  
Select your signage type  
Select your fixing type

---

**Care Instructions**

Hardwood  
Cleaning  
Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

Oiling  
Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

Powder-Coat  
Cleaning  
Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

---

**Additional Comments** Panel designs available in hardwood battens or powder-coated steel in plain or perforated cut-out designs.

Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

Compression lock prevents door rattling.

---