

B+G ALFRESCO TABLE

Tables » Dining Height Tables



Collection: **Alfresco**

B+G ALFRESCO TABLE

Tables » Dining Height Tables



Hardwood Australian
Eucalyptus Light Oil



Hardwood Australian
Eucalyptus Dark Oil



Duraslat™ Plateau



Duraslat™ Summit



Duraslat™ Canyon



Duraslat™ Outback



Core Powder-Coat
Coreten Textured




Core Powder-Coat
Charcoal Satin



Core Powder-Coat
Silver Pearl Satin
Metallic




Core Powder-Coat
Black Satin




Core Powder-Coat
White Satin



Core Powder-Coat
Bronze Satin Metallic



Signature Powder-
Coat Deep Ocean
Satin




Signature Powder-
Coat Wedgewood
Satin



Signature Powder-
Coat Mangrove Satin




Signature Powder-
Coat Territory Red
Matt



Signature Powder-
Coat Claypot Satin



Signature Powder-
Coat Paperbark Satin



Bold Powder-Coat
Sky Blue Satin



Bold Powder-Coat
Yellow Green Satin



Bold Powder-Coat
Pure Orange Satin



Bold Powder-Coat
Carmine Red Satin



Bold Powder-Coat
Zinc Yellow Satin

B+G ALFRESCO TABLE

Tables » Dining Height Tables



Contemporary dining height table. Light in scale. Battens in 2 hardwood or 4 Duraslat™ colors and slim-line steel frame in 17 powder-coat finishes.

Description	Slim-line, powder-coated steel framing together with linear Australian Eucalyptus hardwood or Duraslat™ battens provide the Alfresco table with a contemporary aesthetic that is light in scale. As its name implies, Alfresco is suited to outdoor communal dining, ideal for educational or corporate campuses, bars, cafes, and restaurants.
-------------	---

Made In	USA
---------	-----

Dimensions	74"W x 37"D x 30"H (1860mmW x 940mmD x 750mmH) 85"W x 37"D x 33"H (2150mmW x 940mmD x 750mmH) 96"W x 37"D x 30"H (2455mmW x 940mmD x 750mmH)
------------	---

B+G ALFRESCO TABLE

Tables » Dining Height Tables

Weight	Hardwood 74"W 144.98lbs (65.9kg) 85"W 165lbs (75kg) 96"W 184.8lbs (84kg) Duraslat™ 74"W 112.86lbs (51.3kg) 85"W 127.38lbs (57.9kg) 96"W 141.9lbs (64.5kg)
Batten Type	Hardwood Australian Eucalyptus Duraslat™ Plateau, Summit, Canyon, Outback
Frame	Powder-coated steel
Powder Coat	Core Coreten (textured), Charcoal (satin), Silver Pearl (satin metallic), Black (satin), White (satin), Bronze (satin metallic) Signature Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red (matt), Claypot (satin), Paperbark (satin) Bold Sky Blue (satin), Yellow Green (satin), Pure Orange (satin), Carmine Red (satin), Zinc Yellow (satin)

B+G ALFRESCO TABLE

Tables » Dining Height Tables

Sustainability	<p>Certified Hardwood Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world’s largest forestry certification system.</p> <p>Material Alternatives We offer sustainable alternatives to hardwood, such as Duraslat™; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that is based on a renewable mineral.</p> <p>Recycled Materials We locally source our steel. It means we know it uses recycled content and is 100% recyclable.</p> <p>Low Pollutants Our powder-coating process doesn’t emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.</p>
Warranty	5-year warranty. View the warranty for more details.
Lead Time	6-8 weeks
Assembly & Delivery	Shipped fully assembled on pallets.
Fixing Detail	Freestanding. Optional floor fixing tabs.
How to Specify	<p>Select your length</p> <p>Select your batten finish</p> <p>Select your frame finish</p> <p>Select your fixing type</p>

B+G ALFRESCO TABLE

Tables » Dining Height Tables

Care Instructions

Hardwood

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

Duraslat™

Cleaning

Clean with mild soap and water and use a soft brush to remove any dirt build-up.

Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

Additional Comments

Hardwood is treated with a UV-resistant oil finish in a light or dark tone.
