Tables » Bar Height Tables




Collection: Sorrento

Tables » Bar Height Tables



Tables » Bar Height Tables



Modern bar table with contrasting finishes, folded forms. Battens in 2 hardwood or 4 Duraslat colors and steel frame in 17 powder-coat finishes.

Description

Inspired by the Italian love of modern design, the Sorrento table is as much at home in the public spaces of Chicago as it is on boardwalks of the Mediterranean. The contrasting finishes, folded forms, and modular bar table design combine to create public spaces that draw the eye and challenge the status quo. The frame features a striking asymmetrical cutout design that is visible from all directions adding to the unique visual aesthetics of the bar table. Finishes include battens in 2 Australian Eucalyptus hardwood or 4 Duraslat™ colors and steel frame in 17 powdercoat finishes.

Made In

Dimensions Hardwood

 $71"W \times 29"D \times 41"H$

(1800mmW x 725mmD x 1050mmH)

Duraslat™

USA

 $71"W \times 29"D \times 41"H$

(1800mmW x 725mmD x 1040mmH)

Tables » Bar Height Tables

Weight Hardwood

227lbs (103kg)

Duraslat™ 198lbs (90kg)

Batten Type Hardwood

Australian Eucalyptus

Duraslat™

Plateau, Summit, Canyon, Outback

Frame Powder-coated steel with the Windows perforated pattern.

Powder Coat Core
Coreten (textured), Charcoal (satin), Silver Pearl (satin metallic), Black

(satin), White (satin), Bronze (satin metallic)

Signature

Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red

(matt), Claypot (satin), Paperbark (satin)

Bold

Sky Blue (satin), Yellow Green (satin), Pure Orange (satin), Carmine Red

(satin), Zinc Yellow (satin)

Sustainability Certified Hardwood

Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification

(PEFC), the world's largest forestry certification system.

Material Alternatives

We offer sustainable alternatives to hardwood, such as Duraslat[™]; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that

is based on a renewable mineral.

Recycled Materials

We locally source our steel. It means we know it uses recycled content

and is 100% recyclable.

Low Pollutants

Our powder-coating process doesn't emit VOCs and has Environmental

Product Declarations (EPDs) that enable projects to qualify for LEED

credits.

Warranty 5-year warranty. View the <u>warranty</u> for more details.

Tables » Bar Height Tables

Lead Time	6-8 weeks
Assembly & Delivery	Shipped fully assembled on pallets.
Fixing Detail	Surface fixed by others. Anchors not included.
How to Specify	Select your batten finish Select your frame finish
Care Instructions	Hardwood Cleaning Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.
	Oiling Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.
	To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.
	Duraslat™ Cleaning Clean with mild soap and water and use a soft brush to remove any dirt build-up.
	Powder-Coat Cleaning Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.
	Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.
	Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.
	Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.
Additional Comments	Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

