B+G CONNECT OBLONG MEDIUM LOW BENCH

Seating » Benches



Collections: **Connect**

B+G CONNECT OBLONG MEDIUM LOW BENCH









B+G CONNECT OBLONG MEDIUM LOW BENCH









B+G CONNECT OBLONG MEDIUM LOW BENCH





B+G CONNECT OBLONG MEDIUM LOW BENCH

Modern, modular, circular bench seating in a medium low size with hardwood battens and a steel frame in powder-coat colors.

Description	Connect circle medium low modular bench seating is versatile, durable, and sustainable, making it suitable for a wide range of outdoor or indoor spaces. This can be used as a stand-alone module or paired with the range of 18 seating modules, consisting of geometric shapes, and interlocking elements that can transform any public space into a social hub. Connect features certified Australian Eucalyptus hardwood battens with bullnose edging and a steel frame in VOC-free powder-coat colours that can be customized to suit your project.
How to Specify	Select your batten finish Select your frame finish
Sustainability	Certified Hardwood Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system. Recycled Materials We locally source our steel. It means we know it uses recycled content and is 100% recyclable. Low Pollutants Our powder-coating process doesn't emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.
Powder Coat	Core Signature Bold
Dimensions	85"W x 45"D x 18"H (2160mmW x 1155mmD x 450mmH)
Batten Type	Class 1 + Select Grade Hardwood: Australian Eucalyptus with bullnose edging
Frame	Powder-coated steel
Weight	357lbs (162.1kg)

B+G CONNECT OBLONG MEDIUM LOW BENCH

Made In	USA
Lead Time	6-8 weeks
Assembly & Delivery	Shipped fully assembled on pallets.
Fixing Detail	Fixed by others. Fix direct to a concrete slab or through pavers and into a concrete slab. Depending on the location, the seating modules can be placed without them being fixed to a slab.
Care Instructions	Hardwood Cleaning Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth. Finish Our hardwood is finished with Sikkens Cetol BLX-Pro, a water-based, semi-transparent stain that protects the timber from weathering and enhances its grain and colour. To maintain, clean and lightly sand the timber, then brush on 2–3 coats of Cetol BLX-Pro in the direction of the grain every 12 months, or sooner if it starts to grey. Powder-Coat Cleaning Carefully remove any loose surface deposits with a wet sponge or soft bristled brush. Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water. Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues. Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.
Warranty	5-year warranty. View the warranty for more details.
Additional Comments	Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

B+G CONNECT OBLONG MEDIUM LOW BENCH

Colour & Finish Options