

B+G CONNECT OBLONG SMALL LOW BENCH

Seating » Benches



Collections: **Connect**

B+G CONNECT OBLONG SMALL LOW BENCH

Seating » Benches



B+G CONNECT OBLONG SMALL LOW BENCH

Seating » Benches



B+G CONNECT OBLONG SMALL LOW BENCH

Seating » Benches



B+G CONNECT OBLONG SMALL LOW BENCH

Seating » Benches

Modern, modular, circular bench seating in a medium low size with hardwood battens and a steel frame in powder-coat colors.

Description	Connect oblong small low modular bench seating is versatile, durable, and sustainable, making it suitable for a wide range of outdoor or indoor spaces. This can be used as a stand-alone module or paired with the range of 18 seating modules, consisting of geometric shapes, and interlocking elements that can transform any public space into a social hub. Connect features certified hardwood battens with bullnose edging and a steel frame in VOC-free powder-coat colours that can be customized to suit your project.
How to Specify	Select your batten finish Select your frame finish
Sustainability	<p>Certified Hardwood Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.</p> <p>Recycled Materials We locally source our steel. It means we know it uses recycled content and is 100% recyclable.</p> <p>Low Pollutants Our powder-coating process doesn't emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.</p>
Powder Coat	Core Signature Bold
Dimensions	85"W x 23"D x 18"H (2160mmW x 575mmD x 450mmH)
Batten Type	Class 1 + Select Grade Hardwood with bullnose edging
Frame	Powder-coated steel
Weight	204lbs (92.8kg)
Made In	USA

B+G CONNECT OBLONG SMALL LOW BENCH

Seating » Benches

Lead Time 6-8 weeks

Assembly & Delivery Shipped fully assembled on pallets.

Fixing Detail Fixed by others. Fix direct to a concrete slab or through pavers and into a concrete slab.

Depending on the location, the seating modules can be placed without them being fixed to a slab.

Care Instructions Hardwood
Cleaning
Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

Oiling
Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

Powder-Coat
Cleaning
Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

Warranty 5-year warranty. View the [warranty](#) for more details.

Additional Comments Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

B+G CONNECT OBLONG SMALL LOW BENCH

Seating » Benches

Colour & Finish Options

B+G USA Hardwood



Australian
Eucalyptus Dark Oil



Australian
Eucalyptus Light Oil

B+G USA Powdercoats




Black



Bronze



Carmine Red



Charcoal



Claypot



Core Ten



Deep Ocean



Mangrove



Paper Bark



Pure Orange




Silver Pearl




Sky Blue



Territory Red



Wedgewood



White



Yellow Green



Zinc Yellow

B+G CONNECT OBLONG SMALL LOW BENCH

Seating » Benches
