

B+G CONNECT OBLONG DOUBLE BACKREST MEDIUM LOW SEAT



Collections: **Connect**

B+G CONNECT OBLONG DOUBLE BACKREST MEDIUM LOW SEAT



B+G CONNECT OBLONG DOUBLE BACKREST MEDIUM LOW SEAT



B+G CONNECT OBLONG DOUBLE BACKREST MEDIUM LOW SEAT



B+G CONNECT OBLONG DOUBLE BACKREST MEDIUM LOW SEAT

Modern, modular, oblong seat with a double backrest in a medium low size with hardwood battens and a steel frame in powder-coat colors.

Description Connect oblong double backrest medium low seat is versatile, durable, and sustainable, making it suitable for a wide range of outdoor or indoor spaces. This can be used as a stand-alone module or paired with the range of 18 seating modules, consisting of geometric shapes, and interlocking elements that can transform any public space into a social hub. Connect features certified hardwood battens with bullnose edging and a steel frame in VOC-free powder-coat colours that can be customized to suit your project.

How to Specify Select your batten finish
Select your frame finish

Sustainability

Certified Hardwood
Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world’s largest forestry certification system.

Recycled Materials
We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

Low Pollutants
Our powder-coating process doesn’t emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.

Powder Coat Core
Signature
Bold

Dimensions 85”W x 45”D x 32”H
(2160mmW x 1155mmD x 805mmH)

Batten Type Class 1 + Select Grade Hardwood with bullnose edging

Frame Powder-coated steel

Weight 444lbs (201.7kg)

Made In USA

B+G CONNECT OBLONG DOUBLE BACKREST MEDIUM LOW SEAT

Lead Time 6-8 weeks

Assembly & Delivery Shipped fully assembled on pallets.

Fixing Detail Fixed by others. Fix direct to a concrete slab or through pavers and into a concrete slab.

Depending on the location, the seating modules can be placed without them being fixed to a slab.

Care Instructions

Hardwood

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

Warranty 5-year warranty. View the [warranty](#) for more details.

Additional Comments Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

B+G CONNECT OBLONG DOUBLE BACKREST MEDIUM LOW SEAT

Colour & Finish Options

B+G USA Hardwood




Australian Eucalyptus Dark Oil




Australian Eucalyptus Light Oil


B+G USA Powdercoats



Black




Bronze



Carmine Red



Charcoal



Claypot



Core Ten



Deep Ocean



Mangrove




Paper Bark



Pure Orange



Silver Pearl




Sky Blue



Territory Red



Wedgewood



White



Yellow Green



Zinc Yellow

B+G CONNECT OBLONG DOUBLE BACKREST MEDIUM LOW SEAT